

Re: [MSH] Starting a new shell based on a script

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.scripting/2005-11/msg00186.html>

- *From:* "Keith Hill" <r_keith_hill@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Mon, 7 Nov 2005 20:32:01 -0700
-

"^o^" <no@xxxxxxxx> wrote in message
[news:uvgl1g\\$4FHA.3976@xxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:uvgl1g$4FHA.3976@xxxxxxxxxxxxxxxxxxxxxxxxxxxx)

> Keith Hill wrote:

>> Say that I have a MSH script that contains a whole bunch of settings
>> specific to a particular task. How can I launch MSH.EXE and have it load
>> that script. If I try to pass ". path_to_script", MSH tells me it is not
>> a valid, cmdlet, function or script file.
>>
>> --
>> Keith
> you may want to use -NoExit too

Ah yes, that is an important piece of the puzzle. :-)

Thanks,
Keith

• *References:*

- ◆ [\[MSH\] Starting a new shell based on a script](#)
 ◇ *From:* Keith Hill
- ◆ [Re: \[MSH\] Starting a new shell based on a script](#)
 ◇ *From:* ^o^

- Prev by Date: [Re: \[MSH\] Start.](#)
- Next by Date: [\[MSH\] Use cast or ToString\(\)?](#)
- Previous by thread: [Re: \[MSH\] Starting a new shell based on a script](#)
- Next by thread: [Re: \[MSH\] Start.](#)
- Index(es):
 - ◆ [Date](#)
 - ◆ [Thread](#)