

RE: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2

Source:

<http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.server.setup/2007-08/msg00035.html>

- *From:* v-kzhao@xxxxxxxxxxxxxxxxxxxxxxxx ("Ken Zhao [MSFT]")
 - *Date:* Fri, 10 Aug 2007 10:07:59 GMT
-

Hi Mike,

I'd like to provide you with the following information for your reference:
Reset permissions on all sub-keys within HKLM\Software and HKLM\System back to the default settings:

Administrators = Full Control
Creator Owner = Full Control
System = Full Control
Users = Read
Power Users = Read

After the permissions are reset, perform another upgrade.

If the customer doesn't have a backup of the server, perform the following steps from a parallel install or WinPE:

1. Run Regedit.exe and load the System hive.
2. Reset permissions on all sub-keys within the System hive back to the default settings:

Administrators = Full Control
Creator Owner = Full Control
System = Full Control
Users = Read
Power Users = Read

3. Delete all RAID device instance listed under
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Enum\ACPI
4. Unload the System hive
5. Repeat steps 1, 2, and 4 for the Software hive
6. Restart the system back into the original install

Thanks & Regards,

Ken Zhao

RE: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2

Microsoft Online Support
Microsoft Global Technical Support Center

Get Secure! – www.microsoft.com/security <<http://www.microsoft.com/security>>

=====

When responding to posts, please "Reply to Group" via your newsreader so that others may learn and benefit from your issue.

=====

This posting is provided "AS IS" with no warranties, and confers no rights.

| Thread-Topic: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2
| thread-index: AcfaYJpImgnPU9mFRXarEGOM0GXrlg==
| X-WBNR-Posting-Host: 207.46.19.168
| From: =?Utf-8?B?TWlrZV9n?= <mike_g@xxxxxxxxxxxxxx>
| References: <96847A8C-A918-442B-9A0F-37D7A7E05DFB@xxxxxxxxxxxxxx>
<NQ1LZhj2HHA.5204@xxxxxxxxxxxxxxxxxxxxxxxxxx>
| Subject: RE: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2
| Date: Thu, 9 Aug 2007 01:38:04 -0700
| Lines: 89
| Message-ID: <76643606-F7DA-460D-8BFD-2CDFB43FF033@xxxxxxxxxxxxxx>
| MIME-Version: 1.0
| Content-Type: text/plain;
| charset="Utf-8"
| Content-Transfer-Encoding: 7bit
| X-Newsreader: Microsoft CDO for Windows 2000
| Content-Class: urn:content-classes:message
| Importance: normal
| Priority: normal
| X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.2826
| Newsgroups: microsoft.public.windows.server.setup
| Path: TK2MSFTNGHUB02.phx.gbl
| Xref: TK2MSFTNGHUB02.phx.gbl microsoft.public.windows.server.setup:2325
| NNTP-Posting-Host: tk2msftsbfm01.phx.gbl 10.40.244.148
| X-Tomcat-NG: microsoft.public.windows.server.setup

| I am sure that it is not a permissions issue, even though from the error message it appears to be that.

| I am logged and as Administrator (the only account).

| ""Ken Zhao [MSFT]"" wrote:

| > Hello Mike,

| >

| > Thank you for using newsgroup!

| >

| > From your post, this may be a permission issue. Please check if your

RE: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2

user

> has proper permission to load the device.

>

> Thanks & Regards,

>

> Ken Zhao

>

> Microsoft Online Support

> Microsoft Global Technical Support Center

>

> Get Secure! – www.microsoft.com/security

<<http://www.microsoft.com/security>>

> =====

> When responding to posts, please "Reply to Group" via your newsreader

so

> that others may learn and benefit from your issue.

> =====

> This posting is provided "AS IS" with no warranties, and confers no

rights.

>

>

>

>

>

> -----

> | Thread-Topic: RIS/RIPREP Image problem with Dell Poweredge 2950 –
W2k3 SP2

> | thread-index: AcfZsoeC+hluG9XPTp6t3FOLr5jE8Q==

> | X-WBNR-Posting-Host: 207.46.19.197

> | From: =?Utf-8?B?TWlrZV9n?= <mike_g@xxxxxxxxxxxxxx>

> | Subject: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2

> | Date: Wed, 8 Aug 2007 04:52:00 –0700

> | Lines: 24

> | Message-ID: <96847A8C-A918-442B-9A0F-37D7A7E05DFB@xxxxxxxxxxxxxx>

> | MIME-Version: 1.0

> | Content-Type: text/plain;

> | charset="Utf-8"

> | Content-Transfer-Encoding: 7bit

> | X-Newsreader: Microsoft CDO for Windows 2000

> | Content-Class: urn:content-classes:message

> | Importance: normal

> | Priority: normal

> | X-MimeOLE: Produced By Microsoft MimeOLE V6.00.3790.2826

> | Newsgroups: microsoft.public.windows.server.setup

> | Path: TK2MSFTNGHUB02.phx.gbl

> | Xref: TK2MSFTNGHUB02.phx.gbl

microsoft.public.windows.server.setup:2318

> | NNTP-Posting-Host: tk2msftbfm01.phx.gbl 10.40.244.148

> | X-Tomcat-NG: microsoft.public.windows.server.setup

>

> | I am having a problem with a Ripreped image of a PE 2950. Device

RE: RIS/RIPREP Image problem with Dell Poweredge 2950 – W2k3 SP2

Manager

|> does

|> | not like the RAID Driver (Dell Perc 5/i Integrated Rad Controller:

|> | perc sas.sys).

|> |

|> | I slipstreamed SP2 so that I would have a flat RIS Image to load the 2950

|> | with, adding the Dell Drivers for the RAID. All works fine. Device

|> Manager is

|> | happy, even after a reboote.

|> | I then created a Riprep image from the 2950.

|> |

|> | I then reran PXE boot to install the ripreped image. The system installs

|> and

|> | boots. However, after logging in the system says found new hardware (the

|> RAID

|> | device).

|> | Device Manager has a ? for the device (same driver is shown as in the

|> flat

|> | image).

|> | Trying to reload the driver as a result of the new hardware prompt does

|> not

|> | work (access denied).

|> |

|> | I checked \Windows\setupapi.log and saw:

|> | Processing add/delete section [perc sas_Inst.ntx86.Services]

|> | E0333 Error 5: Access is denied

|> | E275 Error while installing services

|> |

|> | Any ideas would be greatly appreciated.

|> |

|> |

|>

|>

|

.