

Re: Trying to set so that only the client's default printer is map

Re: Trying to set so that only the client's default printer is map

Source:

http://www.tech-archive.net/Archive/Windows/microsoft.public.windows.terminal_services/2006-12/msg00300.html

- *From:* "Josh Rosenberg [MSFT]" <joshrose@xxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Wed, 6 Dec 2006 15:53:41 -0800
-

Sorry, by global I just meant using HKLM as root as opposed to HKCU.

All you should have to do is create the last few keys of:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Terminal Server
Client\Default\AddIns\RDPDR

then add the value specified.

This is a client side fix, as specified in the support instructions you linked.

—
Josh Rosenberg [MSFT]
SDE – Terminal Services

"Matt Emmott" <MattEmmott@xxxxxxxxxxxxxxxxxxxxxx> wrote in message
<news:CD740114-8855-4F88-8FD9-D06BC9F7CE1A@xxxxxxxxxxxxxxxxxx>

Where would the global settings be? I was under the impression that this registry change was on the client, not the server – Was I mistaken?

"Josh Rosenberg [MSFT]" wrote:

The key only exists if there is a global setting for printers in the first place. Have you tried creating the necessary keys (Default\AddIns\RDPDR) then following the instructions listed?

Josh Rosenberg [MSFT]
SDE – Terminal Services

"Matt Emmott" <MattEmmott@xxxxxxxxxxxxxxxxxxxxxx> wrote in message
<news:F9951615-62EA-4A9C-A8BE-39C2B664DF02@xxxxxxxxxxxxxxxxxx>

Re: Trying to set so that only the client's default printer is map

Hi,

I'm trying to set up our Windows 2003 Terminal Server so that when a client logs in, they only see their default printer. I found the following instructions from Microsoft:
<http://support.microsoft.com/kb/911913> ,
but I don't have the registry subkey in my client (which is also a windows 2003 server, but without TS enabled).

MS wants me to modify
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Terminal Server Client\Default\AddIns\RDPDR but I only have
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Terminal Server Client\IME
Mappint
Table and then JPN and KOR under that.

Is there a reason I'm missing this key? Is there a better way to take care of what I need accomplished? The clients connecting to the TS will primarily be on XP SP2.

Thanks,
Matt