

## Re: [win CE 6.0]– create link on desktop

---

*Source:*

<http://www.tech-archive.net/Archive/WindowsCE/microsoft.public.windowsce.embedded/2007-10/msg00042.html>

---

- *From:* Frency <[Frency@xxxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:Frency@xxxxxxxxxxxxxxxxxxxxxxxxxxxxx)>
  - *Date:* Thu, 4 Oct 2007 01:15:01 -0700
- 

I find spelling mistake and spaces mastake...  
now i try to link a directory of hard disk but it doesn't work...

in project.dat i write:

```
Directory("\disco rigido"):-Directory("ciao")  
Directory("\Windows\Desktop"):-File("Docum", "\Windows\ciao.lnk")  
Directory("\Windows\Desktop"):-File("Doc", "\Disco rigido\ciao")
```

the file CIAO.LNK

```
#"\disco rigido\ciao"
```

or I must write :  
18#"\disco rigido\ciao"

I don't find mistake.

Another question is:  
I have included Hive Register, FAT, ATAPI and I've create  
PRJ\_ENABLE\_FSREGHIVE, because  
I have 128MB RAM.  
now my OS can be able to save mi modification...  
but if I create and save, for example, a file .txt in a folder of OS  
like my documents, doesn't remain...when I  
restart OS isn't in my document...

thanks for your help!

"<ctacke/>" wrote:

And make sure your DAT file isn't "formatted" for prettiness either. If you  
have leading spaces on a line, for example, the parser likes to ignore the

Re: [win CE 6.0]– create link on desktop

line with no warnings or errors.

--

Chris Tacke, Embedded MVP  
OpenNETCF Consulting  
Managed Code in an Embedded World  
www.OpenNETCF.com

"Bruce Eitman [eMVP]" <beitman.nospam@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message [news:OJIs%23fdBIHA.3940@xxxxxxxxxxxxxxxxxxxxxxxxxxxx](mailto:news:OJIs%23fdBIHA.3940@xxxxxxxxxxxxxxxxxxxxxxxxxxxx)

What is "Code Blockroot"?

```
Code Blockroot:–Directory("\\Windows")
```

Check the spelling of "Directoty" should have 2 'r's and one 't'

```
Directoty("\\Windows\\Programs"):–File("calibra.lnk",  
"\\windows\\calib.lnk")
```

Then look at is initobj.dat in the \_FLATRELEASEDIR. Look to see that those folders have been created before you try to move files to them.

--

Bruce Eitman (eMVP)  
Senior Engineer  
beitman AT applieddata DOT net

Applied Data Systems  
www.applieddata.net  
An ISO 9001:2000 Registered Company  
Microsoft WEP Gold–level Member

"Freny" <Freny@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message [news:C0864B53–D91A–421E–A4D9–33749F0A54D0@xxxxxxxxxxxxxxxxxxxx](mailto:news:C0864B53–D91A–421E–A4D9–33749F0A54D0@xxxxxxxxxxxxxxxxxxxx)

Hi,

I'm trying to insert a link on deskop of my winCE6.0 project, but the only result is that I create a link in Windows folder, I want link a touch screen calibration and link of my program.

Re: [win CE 6.0]– create link on desktop

Re: [win CE 6.0]– create link on desktop

I append the code that I have include in my project:

on file project.bib:

Code BlockMODULES

; Name Path Memory

Type

-----  
-----  
-----

TouchKit.exe \$(\_FLATRELEASEDIR)\TouchKit.exe NK S

DrawTest.exe \$(\_FLATRELEASEDIR)\drawtest.exe NK S

Calbration.exe \$(\_FLATRELEASEDIR)\calbration.exe NK

S

UpdateEEPROM.exe

\$(\_FLATRELEASEDIR)\UpdateEEPROM.exe NK S

USBTouch.dll \$(\_FLATRELEASEDIR)\usbtouch.dll NK

SHK

FILES

; Name Path Memory

Type

-----  
-----  
-----

;DrawTest.exe \$(\_FLATRELEASEDIR)\drawtest.exe NK

;Calbration.exe \$(\_FLATRELEASEDIR)\calbration.exe NK

;UpdateEEPROM.exe

\$(\_FLATRELEASEDIR)\UpdateEEPROM.exe NK

calib.lnk \$(\_FLATRELEASEDIR)\calib.lnk NK

;francy.lnk \$(\_FLATRELEASEDIR)\francy.lnk NK

S

;francy.exe \$(\_FLATRELEASEDIR)\francy.exe NK

S

Re: [win CE 6.0]– create link on desktop

\*\*\*\*\*

in file PROJECT.DAT:

```
Code Blockroot:–Directory("\Windows")
Directoty("\Windows\Desktop"):–File("calibra.lnk",
"\windows\calib.lnk")
Directoty("\Windows\Programs"):–File("calibra.lnk",
"\windows\calib.lnk")

;Directory("\Windows\Startup"):–File("francy.lnk",
"\Windows\francy.lnk")
```

Where is my mistake??

Thanks a lot!