

Re: 'Edit with Microsoft Office Word'

Source:

<http://www.tech-archive.net/Archive/Word/microsoft.public.word.vba.general/2006-02/msg00304.html>

- *From:* "Doug Robbins – Word MVP" <dkr@xxxxxxxxxxxxxxxxxxxxxx>
 - *Date:* Mon, 6 Feb 2006 22:31:31 +0100
-

Instead of trying to open the ultrasound file from Windows Explorer, start Word and use File>Open in Word to open it.

--
Hope this helps.

Please reply to the newsgroup unless you wish to avail yourself of my services on a paid consulting basis.

Doug Robbins – Word MVP

"KLeBlanc" <KLeBlanc@xxxxxxxxxxxxxxxxxxxxxx> wrote in message news:7D4346A6-47E1-44FD-B693-611C9CC27D94@xxxxxxxxxxxxxxxxxxxxxx

The ultrasound file is saved into the hard drive, my doc opens it from there with all information in front of her. She needs to be able to go into the file and edit it, so she goes to File on the top toolbar, clicks on 'Edit with Microsoft Office Word', the file disappears for a second or two, and comes back without the measurements listed as before she clicked on File. At the top of this new page is a statement: This browser is not running scripts on this page. What does that mean and how can I change it?

--
KLeBlanc

"Doug Robbins – Word MVP" wrote:

You should save the ultrasound file to the hard drive, then start Word and use the File>Open menu item in Word to open the ultrasound file.

If the measurements are then not in the file, they were not in it when it was sent.

Re: 'Edit with Microsoft Office Word'

--

Hope this helps.

Please reply to the newsgroup unless you wish to avail yourself of my services on a paid consulting basis.

Doug Robbins – Word MVP

"KLeBlanc" <KLeBlanc@xxxxxxxxxxxxxxxxxxxxxxxxxxxx> wrote in message news:688B70D0-C16B-4258-BB16-63E8C70AB875@xxxxxxxxxxxxxxxxxxxx

I am sorry, I am new to this stuff and am obviously not computer savy.

Am

I

not repsonding to the Newsgroups?

File, on the top toolbar, along with Edit, View, Favorites, Tools....When

I

go to File and click on it, it drops down and then I hilite and click

on

'Edit with Microsoft Word'. When my document comes back, it is without

the

measurements. But could that have something to do with the browser not

running scripts? and if so, how do I get it to run scripts?

--

KLeBlanc

"Doug Robbins – Word MVP" wrote:

Exactly what do you mean by "when I go up to File and click on "Edit with Microsoft Word""?

In what program are you doing that?

--

Hope this helps.

Please reply to the newsgroup unless you wish to avail yourself of my services on a paid consulting basis.

Doug Robbins – Word MVP

Re: 'Edit with Microsoft Office Word'

"KLeBlanc"

<KLeBlanc@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>

wrote in message

news:88756B52-2EAA-4977-9066-FC3C30A8F8D5@xxxxxxxxxxxxxxxxxxxx

I know all the measurements
are there when the
document comes from
the
program that sent it.
However, when I go up to
File and click on
"Edit
with
Microsoft Word" the
document comes back
without the measurement
numbers
and
with a line of upside down
green/yellow candy cane
boxes appear. I
will
try
what you had suggested first
and get back to you.

--

KLeBlanc

"Doug Robbins – Word
MVP" wrote:

How would
you know if
all of the
measurements
were in the
report as
received?

There is a
possibility
however
that they are
formatted as
hidden
text.
Press

Re: 'Edit with Microsoft Office Word'

Ctrl+A then
select Font
from the
Format
menu and
make sure
that
the
Hidden
Text check
box is
completely
clear.

--
Hope this
helps.

Please reply
to the
newsgroup
unless you
wish to
avail
yourself of
my
services on
a paid
consulting
basis.

Doug
Robbins –
Word MVP

"KLeBlanc"
<KLeBlanc@xxxxxxxxxxxxxxxxxxxxxxxxxxxx>
wrote in

message

news:7C41CDA1-820D-4B89-A7D7-CDF2BA39D694@xxxxxxxxx

I
don't
know
the
program,
but
the
it
was
a

Re: 'Edit with Microsoft Office Word'

report
of
an
ultrasound,
no
pictures,
graphs,
just
words,
measurements.

--
KLeBlanc

"Doug
Robbins
-
Word
MVP"
wrote:

In
what
program
does
the
"Edit
with
Microsoft
Office
Word"
appear?
Exactly
what
did
the
ultrasound
tech
send
over?

--
Hope
this
helps.

Please
reply
to
the

Re: 'Edit with Microsoft Office Word'

newsgroup
unless
you
wish
to
avail
yourself
of
my
services
on
a
paid
consulting
basis.

Doug
Robbins
-
Word
MVP

"KLeBlanc"
<KLeBlanc@xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx>
wrote
in
message
news:8158937C-63DE-42A7-BFAC-585ABEB564

My
ultrasound
tech
sent
over
an
ultrasound,
which
my
doctor
needs
to
go
in
and
edit
with
'Edit
with
Microsoft
Office
Word',

Re: 'Edit with Microsoft Office Word'

but
when
she
clicks
on
that
function,
she
does
not
get
all
of
her
measurements
back
with
the
document.
What
is
going
wrong?
She
has
been
able
to
do
this
before.
--
KLeBlanc

Re: 'Edit with Microsoft Office Word'